

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/759,640	01/16/2001	G. Colby Conkwright	37865.010200	2254
75	90 02/16/2006		EXAM	INER
STEPHEN T. NEAL, ESQ			COLBERT, ELLA	
KENYON & K		•	ADTIBUT	0.000.0000
333 WEST SAN CALOS STREET			ART UNIT	PAPER NUMBER
SUITE 600			3624	
SAN JOSE, CA 95110			DATE MAILED: 02/16/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/759,640	CONKWRIGHT ET AL.				
Office Action Summary	Examiner	Art Unit				
	Ella Colbert	3624				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
 Responsive to communication(s) filed on <u>22 December 2004</u>. This action is FINAL. 2b) ☐ This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 						
Disposition of Claims						
4) Claim(s) 20-23,25-28 and 81 is/are pending in the specification is objected to by the Examiner 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 20-23,25-28 and 81 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers 9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the objected to by the Examiner Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examiner	relection requirement. epted or b) objected to by the Edrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s) Notice of References Cited (PTO-892)						

Application/Control Number: 09/759,640 Page 2

Art Unit: 3624

DETAILED ACTION

1. Claims 20-23, 25-28, and 81 are pending. Claims 20 and 25 have been amended and claim 29 has been cancelled in the communication filed 11/22/04 entered as Response After Non-Final Action has been entered.

- 2. The Change in Power of Attorney and Correspondence Address change filed 12/22/04 has been entered.
- 3. The Supplemental Response filed 12/22/04 has been entered.
- 4. The IDS filed 12/14/04 has been considered and entered.
- 5. The Status Inquiry received 2/02/06 will be entered.

Drawings

6. The drawings are objected to because Drawing Figures 1-9 and 11 are to dark. The shading needs to be removed in order to read the text of the drawing elements. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application

Application/Control Number: 09/759,640 Page 3

Art Unit: 3624

must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

- 6. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 7. Claim 1 recites the limitation "privacy compliant" in line 6, page 2. Page 2, line 6 recites the limitation "dynamic dataset" and line 7 recites the limitation "static dataset".

 Claim 25, page 4, line 1 recites the limitation "privacy compliant" and "dynamic dataset", in line 2 recites the limitation "static dataset", "dynamic and static datasets", and "static and dynamic datasets". There is insufficient antecedent basis for these limitations in the claims.

Claims 20 and 25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 20, page 2, line 6 recites "collecting in a privacy compliant manner at least one dynamic dataset, representing". Suggestion: "collecting at least one dynamic dataset without knowing individual –specific demographic information, representing". Claim 25 has a similar problem. The "privacy compliant" needs to be replaced as discussed in the interview with applications 10/241,840 and 10/241,833. Applicants' are respectfully requested to refer to the interview for applications 10/241,840 and 10/241,840 and 10/241,833.

Application/Control Number: 09/759,640

Art Unit: 3624

Inquiries

Page 4

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ella Colbert whose telephone number is 571-272-6741. The examiner can normally be reached on Tuesday-Thursday, 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vincent Millin can be reached on 571-272-6747. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

. Colbert

Primary Examiner February 13, 2006